



2021 Holistic Assessment of the Health Sector

Dr. Emmanuel A. Odame
**Director, Policy, Planning, Monitoring &
Evaluation**
Ministry of Health

09 May 2022



Outline

- Introduction
- Holistic assessment process
- Sector performance by objectives
- 2021 Programme of Work (POW)
- Challenges
- Conclusions



Introduction

3


- Sector-wide agreed and transparent assessment of health sector performance
- Objectives
 1. Ensure sustainable, affordable, equitable, and easily accessible healthcare services
 2. Reduce morbidity and mortality and intensify prevention and control of non-communicable diseases
 3. Enhance efficiency in governance and management
 4. Intensify prevention and control of communicable diseases
- 2021 POW Implementation
- Serves as the basis for sector dialogue




Assessment process

- Sector has 4 policy objectives
 - Weighted depending on contribution to sector's goals
- Each objective has indicators and milestones
 - Indicators under each objective collectively weigh 75%
 - Milestones weigh 25%
- Sum of scores for each objective is placed on performance scale ranging from 0-5
- Score for all objectives summed up to obtain overall Score for the sector
 - Overall score is also placed on performance scale ranging from 0-5

Assessment algorithm




Overall Score (67 out of 88 indicators assessed)





Objective 1: Ensure sustainable, affordable, equitable, and easily accessible healthcare services


Objective 1: Performance score



Key performance indicators-1

Performance score	Indicator	Code
3 had Maximum score: +2	<ol style="list-style-type: none"> 1. Midwife to Women in Fertility Age (WIFA) population ratio 2. Proportion of districts with Ambulance centres 3. Nurse to population ratio 	
10 had positive scores: +1	<ol style="list-style-type: none"> 1. Proportion of deliveries attended by trained health workers 2. Proportion of newborns (mothers) receiving postnatal care (PNC) within 48 hours from birth 3. Proportion of mothers who made at least four ANC visits 4. Doctor to population ratio 5. Proportion of functional Community Health Planning and Services (CHPS) zones 6. Regional variation in doctor to population ratio 7. OPD per capita 8. Regional variation in proportion of supervised deliveries 9. Proportion of functional Ambulance centres 10. Proportion of population with active NHIS membership 	
1 had negative score: -1	Total estimated protection by contraceptive methods supplied (Couple Year Protection (CYP))	
1 had a zero-score 0	Ratio of females to males among NHIS active members	
Milestone	<ol style="list-style-type: none"> 1. Scale up e-tracker to cover the country 2. Review and disseminate the referral policy 3. Digitalize pharmaceutical services delivery 	

Outpatient visit per capita




Outpatient visit per capita by region

Region	2017	2018	2019	2020	2021
Ahafo	1.04	1.41	1.55	1.34	1.57
Ashanti	0.87	0.99	1.05	0.96	1.19
Bono	1.36	1.65	1.85	1.65	1.74
Bono East	1.14	1.33	1.47	1.25	1.36
Central	1.03	1.14	1.16	0.96	1.03
Eastern	1.01	1.13	1.16	1.00	1.51
Greater Accra	0.78	0.80	0.86	0.88	1.02
North East	0.74	0.66	0.76	0.73	0.76
Northern	0.59	0.64	0.64	0.60	0.55
Oti	0.60	0.66	0.73	0.65	0.76
Savannah	0.80	0.82	0.72	0.64	0.63
Upper East	1.47	1.42	1.48	1.19	1.34
Upper West	0.98	1.09	1.24	1.05	1.08
Volta	1.07	1.11	1.02	0.84	1.12
Western	1.08	1.08	1.18	1.01	1.21
Western North	1.00	1.06	1.14	1.03	1.13

Top 10 outpatient causes of mobility

No	2017	%	2018	%	2019	%	2020	%	2021	%
1	Malaria	20.3	Malaria	23.5	Malaria	23.8	Malaria	20.3	Malaria	21.0
2	Otitis Media	16.0	Upper Respiratory Tract Infections	13.8	Upper Respiratory Tract Infections	13.5	Upper Respiratory Tract Infections	10.1	Upper Respiratory Tract Infections	12.2
3	Upper Respiratory Tract Infections	11.7	Rheumatism / Other Joint Pains / Arthritis	6.2	Rheumatism / Other Joint Pains / Arthritis	6.2	Rheumatism / Other Joint Pains / Arthritis	6.6	Rheumatism / Other Joint Pains / Arthritis	6.1
4	Rheumatism / Other Joint Pains / Arthritis	5.3	Diarrhoea Diseases	5.3	Diarrhoea Diseases	5	Diarrhoea Diseases	4.9	Diarrhoea Diseases	4.7
5	Diarrhoea Diseases	4.7	Anaemia	4.1	Anaemia	4.2	Anaemia	4.4	Anaemia	4.6
6	Anaemia	3.6	Skin Diseases	3.5	Skin Diseases	3.8	Acute Urinary Tract Infection	3.7	Acute Urinary Tract Infection	3.8
7	Skin Diseases	3.5	Intestinal Worms	3.1	Acute Urinary Tract Infection	3.3	Skin Diseases	3.6	Skin Diseases	3.4
8	Intestinal Worms	2.6	Acute Urinary Tract Infection	3	Intestinal Worms	2.9	Intestinal Worms	3.2	Intestinal Worms	3.1
9	Acute Urinary Tract Infection	2.4	Hypertension	2.2	Hypertension	2.2	Hypertension	2.3	Typhoid Fever	2.1
10	Hypertension	2.0	Prostate Cancer	2.1	Acute Eye Infection	1.8	Typhoid Fever	2.1	Hypertension	2.1
11	All other diseases	27.9	All other diseases	33.2	All other diseases	31.7	All other diseases	38.8	All other diseases	37.1
Total		100.0		100		100		100		100.0


Functional CHPS zones, 2017-2021



% of functional CHPS zones by region

Region	2017	2018	2019	2020	2021
Ahafo	89.7	92.6	90	89.7	94
Ashanti	92.2	96.4	92	95	96.6
Bono	92.1	89.6	95	94.4	97.6
Bono East	91	95.8	101.5	99.6	97.3
Central	57.4	62.6	66.6	78.6	82.7
Eastern	80.4	70.1	89.5	86.9	78.4
Greater Accra	48.1	61.7	80	81.8	85.1
North East	63.7	47.6	20.9	23.9	28
Northern	60.9	49.4	43.4	36.8	43.8
Oti	55.9	63.4	78.1	76.1	76.8
Savannah	58.5	65.5	45.9	57.8	41.1
Upper East	86.1	58.8	55.6	72.3	86
Upper West	76.2	81	81.8	72.6	77.5
Volta	65.5	67.8	72.5	70.5	68.9
Western	80	81.7	82.4	84.3	82.8
Western North	75.7	66.2	72.2	78.2	72


NHIS population coverage





NHIS population coverage by region

Region	2017	2018	2019	2020	2021
Ahafo	31.40	39.59	44.75	64.86	72.7
Ashanti	35.59	35.78	38.74	49.01	54.1
Bono	42.79	51.30	58.82	83.21	80.5
Bono East	44.52	45.81	50.54	70.01	68.5
Central	29.82	30.94	35.03	45.54	44.2
Eastern	36.79	38.66	41.74	56.03	63.2
Greater Accra	31.55	29.70	34.76	42.35	42.7
North East	40.42	35.55	42.72	59.19	54.0
Northern	33.02	32.23	38.06	48.77	40.7
Oti	23.64	22.75	28.32	35.44	38.8
Savannah	39.90	36.94	41.00	50.03	50.4
Upper East	53.46	54.47	57.93	74.88	73.4
Upper West	50.43	55.31	57.94	78.34	79.7
Volta	37.02	37.04	41.75	52.33	64.1
Western	31.63	29.50	35.25	44.56	48.5
Western North	33.84	34.41	40.94	56.31	57.4

Active NHIS members by category




Family planning acceptor rate and CYP



Family planning acceptor rate by region

Regions	2017	2018	2019	2020	2021
Ahafo	43.69	56.70	62.66	44.58	56.66
Ashanti	27.18	26.67	24.68	22.81	29.11
Bono	58.79	57.83	64.98	40.97	41.79
Bono East	47.34	46.99	47.67	41.07	43.86
Central	29.34	32.78	35.01	32.30	38.74
Eastern	26.86	28.37	28.54	25.03	30.24
Greater Accra	59.38	80.33	73.47	33.65	35.85
North East	25.00	25.82	50.43	23.76	21.57
Northern	22.47	31.43	33.54	28.22	27.82
Oti	37.94	32.34	28.04	31.74	34.80
Savannah	26.44	27.75	26.57	18.77	20.15
Upper East	30.48	30.26	31.34	31.82	35.79
Upper West	53.92	53.89	52.53	49.86	45.96
Volta	29.98	26.14	23.19	24.58	28.90
Western	25.70	27.77	31.41	28.97	36.99
Western North	18.96	23.26	27.76	24.52	27.89


Trends in ANC, skilled delivery & PNC




ANC, skilled delivery & PNC by region

Region	ANC1+	ANC4+	Skilled Delivery	Postnatal care (PNC)
Ahafo	79.2	93.2	68.3	67.6
Ashanti	73.7	61.1	60.8	58.7
Bono	74.8	62.6	66.5	64.8
Bono East	84.6	66.6	66.8	63.8
Central	77.5	62.6	66.0	65.5
Eastern	73.9	56.5	60.9	61.1
Greater Accra	72.8	68.1	52.0	51.4
North East	95.2	58.0	71.9	71.1
Northern	106.8	92.5	75.8	72.1
Oti	92.7	57.8	62.3	61.8
Savannah	96.3	60.7	61.2	58.7
Upper East	84.1	75.7	81.8	81.1
Upper West	85.8	74.8	76.7	75.0
Volta	66.4	49.4	58.7	56.4
Western	88.2	63.5	66.1	65.6
Western North	84.3	63.1	66.8	63.4

Cases of emergency medical services seen




Case response time to emergency medical services



Case response, case handling, & vehicle engaged time

Region	Case response time	Average case handling time	Average vehicle engaged time
Ahafo	0:17:15	2:01:39	4:51:16
Ashanti	0:17:21	2:07:54	4:13:00
Bono	0:17:44	2:13:00	4:36:26
Bono-east	0:23:11	2:19:23	5:14:45
Central	0:22:31	2:40:59	5:42:23
Eastern	0:26:18	2:24:17	5:09:41
Greater Accra	0:18:21	2:20:44	4:50:02
North east	0:28:44	2:23:53	5:39:19
Northern	0:22:03	2:03:20	4:53:59
Oti	0:30:28	2:49:52	7:54:52
Savannah	0:20:38	2:12:46	5:06:54
Upper east	0:21:04	1:57:35	4:21:50
Upper west	0:23:53	1:47:03	4:29:51
Volta	0:24:12	2:06:49	5:23:05
Western	0:25:00	2:15:42	6:16:05
Western north	0:24:41	3:07:29	11:15:00


Doctor-to-population ratio



Doctor-to-population ratio by region

Region	2017	2018	2019	2020	2021
Ashanti	1:8,041	1:6,389	1:6,344	1:6,007	1:5,468
Brong-Ahafo	1:9,795	1:11,270	1:10,239	1:10,159	1:7,833
Central	1:9,158	1:7,787	1:7,180	1:6,188	1:6,190
Eastern	1:12,808	1:11,602	1:11,757	1:10,881	1:7,802
Greater Accra	1:3,404	1:3,246	1:2,839	1:2,619	1:2,586
Northern	1:12,949	1:9,770	1:10,243	1:8,945	1:9,926
Upper East	1:27,652	1:20,936	1:23,587	1:19,158	1:17,584
Upper West	1:16,222	1:13,160	1:14,897	1:14,477	1:10,362
Volta	1:10,832	1:11,520	1:10,390	1:9,392	1:7,567
Western	1:22,729	1:17,850	1:18,977	1:17,577	1:12,359


Nurse-to-population ratio



Nurse-to-population ratio by region

Region	2017	2018	2019	2020	2021
Ashanti	1:880	1:796	1:796	1:764	1:552
Brong-Ahafo	1:807	1:887	1:750	1:743	1:466
Central	1:713	1:768	1:615	1:606	1:550
Eastern	1:816	1:855	1:776	1:739	1:492
Greater Accra	1:743	1:783	1:675	1:640	1:571
Northern	1:945	1:986	1:850	1:825	1:636
Upper East	1:500	1:494	1:458	1:472	1:394
Upper West	1:597	1:632	1:514	1:493	1:440
Volta	1:785	1:839	1:731	1:659	1:463
Western	1:1030	1:1015	1:935	1:944	1:584

Midwife to women in fertility age (WIFA) ratio




Midwife to women in fertility age (WIFA) ratio by region

Region	2017	2018	2019	2020	2021
Ashanti	1:649	1:613	1:488	1:479	1:320
Brong-Ahafo	1:713	1:680	1:570	1:553	1:321
Central	1:873	1:816	1:589	1:596	1:457
Eastern	1:767	1:727	1:634	1:619	1:391
Greater Accra	1:828	1:768	1:618	1:571	1:456
Northern	1:924	1:792	1:654	1:643	1:494
Upper East	1:611	1:561	1:526	1:535	1:372
Upper West	1:421	1:389	1:382	1:384	1:266
Volta	1:751	1:721	1:616	1:578	1:396
Western	1:839	1:688	1:632	1:645	1:391



Objective 2: Reduce morbidity and mortality and intensify prevention of non-communicable diseases


Objective 2: Performance score



Key performance indicator-2

Performance score	Indicator	Code
Objective 2: Reduce Morbidity and Mortality, Intensify Prevention and Control of Non-Communicable Diseases		
3 had a positive score: +1	<ol style="list-style-type: none"> 1. Institutional Maternal Mortality Ratio 2. Still birth rate (per 1000 live births) 3. Institutional all-cause mortality rate (per 1000) 	
1 had a negative score: -1	Institutional Neonatal Mortality Rate	
Milestones	<ol style="list-style-type: none"> 1. Develop physiotherapy guidelines 2. Reduce institutional neonatal mortality rate to 4.8 deaths per 1,000 live births 	


All-cause mortality



All-cause mortality per 1000 admissions by region

Regions	2017	2018	2019	2020	2021
Ahafo	16.03	15.44	9.24	14.35	12.33
Ashanti	16.59	11.00	10.43	14.65	13.10
Bono	22.33	18.75	18.87	24.71	24.85
Bono East	21.13	19.83	16.93	21.49	21.47
Central	28.11	20.95	19.03	24.64	22.44
Eastern	23.26	24.60	21.09	27.89	27.89
Greater Accra	44.34	33.39	30.39	35.81	31.74
North East	12.37	14.48	16.83	18.77	20.47
Northern	14.94	15.86	10.99	16.03	18.81
Oti	15.54	14.35	13.50	16.73	16.97
Savannah	15.99	11.09	8.80	13.42	15.19
Upper East	28.98	31.60	21.75	29.41	28.58
Upper West	17.33	15.75	15.32	20.53	21.14
Volta	31.73	29.33	29.41	35.57	29.89
Western	25.34	23.62	18.22	23.97	20.70
Western North	13.51	11.39	11.91	12.49	10.49


Maternal mortality ratio



Maternal mortality ratio by region

Region	2017	2018	2019	2020	2021
Ahafo	58.98	43.70	97.17	68.02	83.50
Ashanti	139.58	184.31	155.78	96.58	127.50
Bono	116.66	89.31	70.29	79.62	87.49
Bono East	119.84	79.92	105.33	91.52	71.71
Central	129.10	132.10	105.24	109.16	104.40
Eastern	176.94	124.26	139.07	143.11	112.09
Greater Accra	189.00	149.52	139.72	143.10	163.71
North East	111.71	105.46	59.86	58.79	84.46
Northern	201.04	136.18	143.98	120.23	98.60
Oti	112.10	56.74	54.93	93.93	61.08
Savannah	42.53	56.10	50.38	48.19	37.45
Upper East	137.53	91.10	79.23	90.73	97.99
Upper West	116.75	96.38	74.83	78.77	100.46
Volta	149.50	87.22	131.63	95.20	102.52
Western	154.98	134.30	106.08	113.01	118.62
Western North	78.80	79.16	34.88	60.93	75.58

Stillbirth, neonatal, infant, & under-5 mortality rates




Stillbirth, neonatal, infant, & under-5 mortality rates

Region	2017	2018	2019	2020	2021
Ahafo	5.38	4.95	5.41	6.39	5.46
Ashanti	13.59	9.32	7.32	6.46	6.49
Bono	8.59	7.45	8.40	7.96	7.72
Bono East	10.70	7.95	7.23	6.24	7.92
Central	5.30	6.00	7.49	6.59	6.87
Eastern	8.31	6.66	6.45	8.17	6.67
Greater Accra	9.19	10.42	11.90	10.16	11.48
North East	4.47	4.81	2.93	3.94	4.59
Northern	7.37	9.79	10.13	9.75	8.54
Oti	2.72	3.48	2.95	2.82	1.89
Savannah	4.25	1.68	2.30	2.75	3.87
Upper East	7.65	6.32	8.13	6.79	6.79
Upper West	5.52	6.09	8.77	7.44	5.45
Volta	9.06	5.71	5.98	6.64	6.63
Western	5.03	8.83	7.09	6.62	5.11
Western North	3.00	3.47	3.44	2.65	2.18



Objective 3: Enhance efficiency in governance and management

Objective 3: Performance score




Key performance indicator-3

Performance Score	Indicator	Code
6 had maximum score: +2	<ol style="list-style-type: none"> 1. Regional and district hospitals providing traditional and alternate medicine 2. Proportion of hospitals (public and private) with functional emergency department 3. Per capita expenditure on health (all sources) - (USD) 4. GoG budget execution rate for goods and services 5. GoG budget execution rate (total) 6. Proportion of Agencies with functional audit committees 	
9 had a positive score: +1	<ol style="list-style-type: none"> 1. Hospitals (public and private) with mental health units 2. Restaurants in good standing 3. Bed occupancy rate (all wards) 4. Hospital beds per 1000 population 5. Licensure examination pass rate (for physician assistants, nurses, midwives, and allied health professionals) 6. Per capita GoG budget allocation to health sector (MTEF) 7. Average number of medicines prescribed per patient encounter (public facilities) 8. Percentage of medicines prescribed by generic name (public facilities) 9. Average Time of NHIS Claims Settlement (Month) 	


Key performance indicator-3 cont'd

Performance Score	Indicator	Code
1 had a neutral score: 0	1. Proportion of NHIS expenditure on claims reimbursement	
2 had a negative score: -1	1. Average length of stay at the accident and emergency (A&E) ward - (Days) 2. Percentage of encounters with an injection prescribed (public facilities)	
10 scored: -2	1. Adverse drug reactions investigated and reported on by Food and Drugs Authority (FDA) 2. Food and medicinal products that undergo quality testing 3. Proportion of health facilities (public and private) Licensed 4. Proportion of encounters with an antibiotic prescribed 5. GoG allocation to health (%) 6. Percentage change in annual revenue mobilized from all sources (real and nominal) 7. Proportion of NHIF receivable funds released to NHIA by MOF 8. Proportion of total health budget allocated to health research activities 9. Tracer drug availability 10. Psychotropic drug availability	
Milestone	Develop medical tourism policy	


Regional and district hospitals offering traditional medicine services




Bed availability for admissions per 1000 population





Bed occupancy rate




Average length of stay in emergencies




Average length of stay in emergencies by hospital level




Ave. number of medicines prescribed per encounter




% of patient encounters with antibiotics




% GoG allocation to the health sector




Total health expenditure per capita




% of NHIS funds received



% of NHIS medical claims expenditure




NHIS medical claims reimbursement time





Objective 4: Intensify prevention and control of communicable diseases


Objective 4: Performance score



Key performance indicator-4

Performance score	Indicator	Code
7 had maximum score: +2	<ol style="list-style-type: none"> 1. Proportion of children under one year fully immunised (Penta 3 as proxy) 2. Proportion of infected pregnant women who received ARVs for eMTCT 3. Non- polio AFP rate 4. Surgical site infection rate 5. Malaria incidence per 1,000 population 6. HIV incidence per 1,000 population 7. Tuberculosis Incidence per 100,000 	
10 had positive scores: +1	<ol style="list-style-type: none"> 1. Proportion of HIV-positive adults and children currently receiving antiretroviral therapy 2. TB treatment success rate 3. Institutional Malaria Under 5 Case Fatality Rate 4. 90-90-90 Target (HIV Positive people receiving ART with viral Suppression) 5. 90-90-90 Target (HIV Infected persons who are receiving sustained ART) 6. 90-90-90 Target (HIV Infected persons who know their HIV Status) 7. Proportion of babies born to HIV-positive mothers being HIV-negative after 18 8. Proportion voluntary unpaid blood donations 9. Blood collection index per 1000 population (BCI) 10. HIV/AIDS prevalence rate 	
3 indicators had negative score (-2)	<ol style="list-style-type: none"> 1. TB Case detection rate 2. Mortality rate due to tuberculosis 3. Case fatality rates for epidemic prone diseases (100,000) 	


Childhood immunization coverage (Penta 3)




Childhood immunization coverage (Penta 3) by region

Regions	2017	2018	2019	2020	2021
Ahafo	86.8	104.4	99.4	105.5	116.5
Ashanti	103.1	103.0	98.0	103.2	118.3
Bono	86.4	99.9	100.5	102.6	95.9
Bono East	102.4	103.2	96.3	110.2	102.5
Central	86.9	93.0	89.8	93.7	94.1
Eastern	93.2	96.7	86.1	89.5	108.1
Greater Accra	85.9	90.0	86.0	75.7	76.4
North East	113.3	118.5	104.7	115.3	109.5
Northern	135.9	135.6	123.5	135.4	122.2
Oti	95.5	96.0	92.1	98.6	105.9
Savannah	130.0	122.4	103.0	112.9	110.8
Upper East	77.3	78.6	77.8	83.8	89.7
Upper West	79.0	78.5	75.7	81.8	84.7
Volta	76.3	79.0	66.4	66.0	77.8
Western	79.1	81.9	84.9	88.7	100.3
Western North	71.5	80.6	85.4	84.4	90.2


HIV prevalence rate, 2017-2021




HIV incidence per 1000 pop, 2018-2021




PLHIV and on treatment, 2017-2021




Pregnant women receiving ARV drug




HIV 95-95-95 targets




TB case detection rate




TB treatment success rate




Malaria under-5 case fatality rate




Surgical site infection rate



% of unpaid blood donations




Blood collection index



Implementation status of activities by programmes

Programme	Sub-Programme	No. of Activity Planned	No. Implemented	(%) Implemented	
Programme 1: Management and Administration	1.1 Management and Administration	8	7	88	
	1.2 Health, Research, Statistics, and Information Management	4	3	75	
	1.3 Health Policy Formulation, Planning, Budgeting, Monitoring and Evaluation	30	26	87	
	1.4 Human Resource for Health Development	9	7	78	
	1.5 Finance and Audit	7	4	57	
	1.6 Procurement, Supply and Logistics	2	2	100	
	Sub-total	60	49	82	
Programme 2: Health Delivery	2.2 Primary and Secondary Health Services	27	19	70	
	2.3 Tertiary Specialised Health Services	16	11	69	
	2.4 Research	6	5	83	
	Pre-Hospital Services	16	12	75	
	Sub-total	65	47	72	
Programme 3: Training	3.1 Pre-Service Training	8	7	88	
	3.2 Post Basic Training	2	2	100	
	3.3 Specialized Training	4	4	100	
	Sub-total	14	13	93	
Programme 4: Regulation	4.1 Registration of Health Facilities	2	2	100	
	4.2 Registration of Health Professionals	6	5	83	
	4.3 Registration of Food, Pharmaceuticals and Medicinal Products (FDA)	3	2	67	
Sub-total		11	9	82	
Grand total (programmes 1-4)		150	118	78.7	73

Challenges



Poor data quality (coverage, completeness, reliability)



Delay in data reporting by agencies



Conclusion

- Improved access to health services towards UHC
 - Increasing OPD per capita
 - Increasing NHIS coverage (financial services)
 - Increasing access to emergency medical services
 - Increasing access to maternal health services
 - Increasing access health professionals
 - Increasing availability of health infrastructure
- Generally, deaths are reducing but maternal and child deaths are rising
 - Decreasing all-cause mortalities
 - Increasing maternal mortalities
 - Increasing stillbirth, neonatal, infant, under-5 mortalities
- Efficiency in resource mobilization and use was unsatisfactory overall
 - Reducing GoG allocation to health sector
 - Reducing NHIS receipts
 - Increasing patient encounters with antibiotics
- Improved prevention of communicable diseases
 - Increasing immunization coverage
 - Increasing TB treatment success rate
 - Increasing HIV knowledge, treatment, and suppressed viral loads
 - Reducing SSIs
 - Increasing blood collection per 1000



Acknowledgement

- Hon. Minister for Health
- Hon. Deputy Minister for Health
- Chief Director
- All Heads of Agency
- Development partners
- Directors and Unit Heads, MoH
- Holistic Assessment Working Group
- Staff of MoH



Thank you